

TC2B

series



Product Segments


• **Comfort Motion**

General Features

Voltage	100V AC, 120V AC, 230V AC, or 100~240 V AC (SMPS)
Built-in transformer type	SMPS
Maximum output	24V DC, 3A
Plug support	EU, USA, AUS, UK, JPN
Number of actuators	1~3
Color	Black or grey
Certificate	EMC
Over current protection	

Drawing

Standard Dimensions
(mm)



TC2B Ordering Key

TC2B

Version: 2091211-J

	Input voltage	1 = 100V AC	2 = 120V AC	3 = 230V AC	4 = 100~240V AC (SMPS)
	Plug	1 = EU 2 = US	3 = AU 4 = UK	5 = JP	
	Number of Actuators	1 = 1	2 = 2	3 = 3	
	Color	1 = Black	2 = Grey (Pantone 428C)		
	Cable Length (mm)	1 = Straight, 2000	2 = Straight, 4000		
	Fixation	1 = On actuator (accessories: fixing screws*1)	2 = On iron frame (accessories: mounting brackets & screws)		
	Backup Battery	0 = Without 1 = Without battery, with a connection cable	2 = With 2*9V batteries		
	Transformer	4 = SMPS (SPM-58, 2A)			
	MCU	0 = Without	1 = With		
	Wireless Control	0 = Without	R = RF (315 MHz) For NA	F = RF (433 MHz) For EU	H = IR
	IP Rating	1 = Without	2 = IP54		

Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application. TiMOTION products are subject to change without prior notice.