

TEK01

series

Product Segments

• Ergo Motion

General Features

Max. load	100kg or 120kg*
Constant speed	3-Stage Column: 40mm/s 2-Stage Column: 33mm/s
Frame orientation	Rectangular
Weight of package	33~40Kg*
Standby power	< 0.1W
Noise level	39dB
Accessories	USB Chargers, TFA1/3 Anti-Collision Sensor, TCS1 Wireless Chargers, TWC





Multiple column and control options

High strength and stability – Steel construction

Pre-assembled frame kit – Significantly reduces installation time


*It varies upon the selection of components.

Color (RAL Classic)




Drawing


Dimensions



• 3-Stage



• 2-Stage




Frame dimensions (mm)	Recommended work surface dimensions (mm)	
	Width	Depth
1050~1850	1100~1900	700~1000

Column Type	Frame height (mm)	Stroke (mm)
3-Stage	630~1280	650
3-Stage (M)	600~1260	660
3-Stage (S)	560~1220	660
2-Stage	680~1180	500


End Pipes (mm)




1 = Style A
(for fixed tabletop)




2 = Style A
(for sliding tabletop)




3 = Style B
(for fixed tabletop)



4 = Style B
(for sliding tabletop)




5 = Style C
(for C leg, fixed tabletop)




TL

• 3-Stage



TL4
Square
70 x 70 mm



TL7
Square
70 x 70 mm



TL9
Round
ø70 mm



TL10
Rectangular
80 x 60 mm



TL11
Round
ø70 mm



TL12
Rectangular
80 x 60 mm

• 2-Stage



TL13
Square
70 x 70 mm



TL14
Round
ø70 mm



TL15
Rectangular
80 x 60 mm



TL26
Rectangular
80 x 60 mm



TL28
Square
70 x 70 mm



TL29
Round
ø70 mm


Foot (mm)



Style A



Style B



Style A, C (for C leg)




Style B, C (for C leg)



Style C



Style D



Style E



Style F



Foot (mm)



Code	Style	Thickness	Length (mm)
0	-	Without	-
1	A	8	750
2	A	5	750
3	B	5	750
4	B	8	750
6	C	Aluminum extrusion	750
7	D	Tube	750
8	A	5	550
9	A	5	680
C	A	8	550
D	C	Aluminum extrusion	550
F	B	5	550
G	B	5	680
H	B	8	550
L	D	Tube	550
M	A	5	600

Code	Style	Thickness	Length (mm)
N	A	8	680
P	C	Aluminum extrusion	600
V	E	5	750
Z	F	Alu slanted	680
C-leg			
5	A	8	750
E	A	8	680
J	B	8	680
K	B	8	750
Q	A	5	580
R	A	5	600
S	A	5	750
T	B	5	580
U	A	8	550
W	B	5	680
Y	B	5	750

Desk Type

T Leg
(standard)



C Leg



Hand Control



1 = TH37



2 = TFH8




3 = TDH1



4 = TDH2



5 = TDH3




6 = TDH4



7 = TDH5



8 = TDH6



9 = TFH13



B = TH14



C = TFH21



D = TDH8P



E = TDH8



F = TDH8D



G = TDH11P



H = TDH12P



K = TDH16



L = TDH6PR

Hand Control



M = TDH5PR



N = TDH13P



P = TDH15



Q = TDH18P



R = TDH17



S = TDH20P



T = TDH9P

Accessories (optional)



TCS1

TCS1 is a collision sensor based on t-touch technology which does not require any additional hardware upgrades.



TFA1

A charger with 2 USB ports. Can be mounted on the table top.



TFA3

A charger with 2 USB ports. Can be mounted to the desk front side.



TWC

Designed for wireless charging of mobile devices. Can be mounted on the table top.

TEK01 Ordering Key

TEK01

Version: 20200924-M

TL See page 4	0004 = TL4 0007 = TL7	0009 = TL9 0010 = TL10	0011 = TL11 0012 = TL12	0013 = TL13 0014 = TL14	0015 = TL15 0026 = TL26	0028 = TL28 0029 = TL29	
Foot (mm)	See page 5-6						
Color	1 = Black (RAL 9005) 2 = Grey (RAL 9006)		3 = White (RAL 9016) 4 = Special grey (RAL 9022)		6 = Matte Black (RAL7021) 7 = Graphite grey (RAL7024)		
TC	0 = Without	1 = TC15	2 = TC15P				
Hand Control See page 7-8	0 = Without 1 = TH37 2 = TFH8 3 = TDH1	4 = TDH2 5 = TDH3 6 = TDH4 7 = TDH5	8 = TDH6 9 = TFH13 B = TH14 C = TFH21	D = TDH8P E = TDH8 F = TDH8D G = TDH11P	H = TDH12P K = TDH16 L = TDH6PR M = TDH5PR	N = TDH13P P = TDH15 Q = TDH18P R = TDH17	S = TDH20P T = TDH9P
End Pipe (mm) See page 3	1 = Style A, fixation holes, E1 & E2: 600, Standard 2 = Style A, slidable, E1 & E2: 700 3 = Style B, fixation holes, E1 & E2: 600 4 = Style B, slidable, E1 & E2: 700 5 = Style C, fixation holes, E1 & E2: 700, for C leg				6 = Style A, fixation holes, E1 & E2: 500 7 = Style A, fixation holes, E1 & E2: 550 8 = Style B, fixation holes, E1 & E2: 500 9 = Style C, fixation holes, E1 & E2: 580, for C leg		
Desk Frame (mm)	6 = Medium, outer pipe 25*40, W: 1050-1850 (connection pipe 3mm)						
Assembly Manual	0 = Without C = Chinese, TiMOTION logo, Black / White printing E = English, TiMOTION logo, Black / White printing 1 = Chinese, TiMOTION logo, colour printing 2 = English, TiMOTION logo, colour printing				3 = Chinese, No logo, Black / White printing 4 = Chinese, No logo, Black / White printing 5 = Chinese, No logo, colour printing 6 = English, No logo, colour printing		

Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application.
TiMOTION products are subject to change without prior notice.